


ON OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE, OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

FOR INFORMATION ONLY. CONTRACTOR MAY AT HIS OPTION DEVIATE FROM THESE PROCESS DETAILS

SYMBOL DESCRIPTION DATE APPROVAL



- NOTES:
1. ALUMINUM ALLOY TEMPER H24 OR H34 PER SPEC QQ-A-318
  2. THE INSIDE RADIUS OF ANY BEND SHALL NOT EXCEED METAL THICKNESS

REQD	PART NO.	DESCRIPTION	MATL	MATL SPEC	NOTES
LIST OF MATERIAL					

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES ± 1/64 ±.005 ± —				DRAWN BY <i>P. J.</i>
				CHECKED BY <i>[Signature]</i>
				CHIEF DRAFTS <i>[Signature]</i>
				ENG APPROVAL <i>[Signature]</i>
NEXT ASSY	USED ON	NEXT ASSY	USED ON	
SWE APPLICATION		APPLICATION		

STEWART-WARNER  
ELECTRONICS  
42428-PC-59  
SIGNAL CORPS  
REVIEWED *PME*  
APPROVED *PME*  
DATE 28 OCT 59

BRACKET

DEPARTMENT OF THE ARMY  
SIGNAL CORPS ENGINEERING  
LABORATORIES  
FORT MONMOUTH NEW JERSEY  
  
SM-B-343603