




THIS DOCUMENT HAS BEEN PURCHASED BY THE GOVERNMENT AND MAY BE REPRODUCED AND USED IN CONNECTION WITH ANY GOVERNMENT PROCUREMENT OR MAINTENANCE OPERATION

NOTE
DATA MARKED WITH AN ASTERISK (*) IS PECULIAR TO A PRIOR MANUFACTURER. IT DOES NOT TAKE PRECEDENCE OVER ANY OTHER DATA ON THIS DRAWING, AND IS NOT CONTRACTUALLY BINDING ON EITHER THE CONTRACTOR OR THE GOVERNMENT

REVISIONS				
LTR	ZONE	DESCRIPTION	DATE	APPROVED



0.031 MAX. OPTIONAL RADIUS PERMISSIBLE ON ALL CORNERS OF THIS DETAIL.

- NOTES
- MATERIAL: ALUMINUM ALLOY 5052, TEMPER H34, PER SPEC QQ-A-250/8
 - FINISH: ES13 PER SPEC MIL-F-14072.
 - MAX. INSIDE BEND RADIUS NOT TO EXCEED 1/16.
 - ALL CHARACTERS TO BE 3/32 HIGH GOTHIC TYPE PER SPEC MIL-M-13231 GROUP II, COLOR TO BE BLACK, COLOR CHIP NO. 27038 PER FED. STD. 595. MARKINGS TO BE CENTRALLY LOCATED ±1/32 UNLESS OTHERWISE SHOWN, COVER DESIGNATIONS WITH ONE COAT OF VARNISH PER MIL-V-173 TYPE II.
 - SUPPLIED BY DENN ENGINEERING & MFG. CORP. DOYLESTOWN, PENN PT. NO. CLS-440-0, #303 ST/STL, OR EQUAL
 - MASK ALL AREAS DESIGNATED BEFORE FINISHING.

ITEM	REQD	PART NO.	DESCRIPTION	SPECIFICATION	NOTE
2	2	SM-C-505828-2	FASTENER, SELF-CLINCHING		5
1	1	SM-C-505828-1	SHIELD-I.F.		

LIST OF PARTS

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON: FRACTIONS DECIMALS ANGLES ±1/64 ±0.005 ±1°		ELECTRONIC ASSISTANCE CORPORATION N-6-00189(E)		U. S. ARMY ELECTRONICS COMMAND PROCUREMENT AND PRODUCTION DIRECTORATE FORT MONMOUTH NEW JERSEY 07703	
MATERIAL: SEE NOTE 1		DRAWN GA. DEWE CHECKED T. MESHOW		SHIELD-I.F.	
SM-B-505829	SL-DL-248775	REVIEWED EC-2 (RMB)	SIZE C	CODE IDENT NO. 80063	SM-C-505828
NEXT ASSY	USED ON	APPROVED	DATE 11 APR 66	SCALE 1/1	SHEET 1 OF 1
APPLICATION					